Tote-A-Lube Stackable Tanks



- Constructed from UL Rated Food-Grade Polyethylene Resins
- Extra Strength Corrugated Side Walls
- Patented Design for Easy Fill
- Visual Inventory of Fluid Levels
- Openings: (2) 2" Fill Ports and (1) 1" NPT Stainless Steel Dispense Fitting
- Can Be Customized with Additional Openings

Small Tote-A-Lube Tanks 35, 70 and 120 Gallons



Small Tote-A-Lube Gravity Feed Systems


Includes: Tank(s), 24"H	35 Gallon				70 Gallon				120 Gallon		
Stand, 3-Pan Drip Tray Assembly and Gravity Feed Dispense Kit. 36"W x 44"D Assembled.	8, 9, 9, 9										
*Containment page 5.	The same										
*Remote Fill Kit page 5.											
Part No.	T35-1	T35-2	T35-3	T35-4	T70-1	T70-2	T70-3	T70-4	T120-1	T120-2	T120-3
No. of Stacked Tanks	1	2	3	4	1	2	3	4	1	2	3
Gallon Capacity	35	70	105	140	70	140	210	280	120	240	360
System Height	37"H	47"H	57"H	67"H	47"H	67"H	87"H	107"H	59"H	91"H	123"H
Gravity Feed Kit	GFKIT1	GFKIT2	GFKIT3	GFKIT4	GFKIT1	GFKIT2	GFKIT3	GFKIT4	GFKIT1	GFKIT2	GFKIT3



Reduce Your Total Fluid Expenses and Maximize Floor Space with a Stackable Fluid Storage and Handling System

- Purchase Fluids in Bulk; Reduce Expenses and Waste
- Eliminate the Hassles Associated with Packaged Goods and Drums
- Maximize Shop Space with Stackable Fluid Storage.
- Flexibility to Move Fluids with Portable Systems
- Configure a System with Secondary Containment Vessel

Large Tote-A-Lube Tanks 130, 180, 240 and 330 Gallons



Large Tote-A-Lube Gravity Feed Systems

Includes: Tank(s), 24"H	130 Gallon				180 Gallon		240 Gallon		330 Gallon	
Stand, 3-Pan Drip Tray Assembly and Gravity Feed Dispense Kit. 43"W x 54"D Assembled. *Containment page 5. *Remote Fill Kit page 5.										
Part No.	T130-1	T130-2	T130-3	T130-4	T180-1	T180-2	T240-1	T240-2	T330-1	
No. of Stacked Tanks	1	2	3	4	1	2	1	2	1	Note:
Gallon Capacity	130	260	390	520	180	360	240	480	330	System Includes
System Height	50"H	73"H	96"H	119"H	59"H	91"H	69"H	111"H	83"H	Support
Gravity Feed Kit	GFKIT1	GFKIT2	GFKIT3	GFKIT4	GFKIT1	GFKIT2	GFKIT1	GFKIT2	GFKIT1	Ноор

Wall-Stacker Stackable Tanks

Stackable Tanks with a Compact 19" x 38" Tank Footprint

Wall-Stacker Tanks 32, 71 and 115 Gallons

Tank Construction

- Constructed from UL Rated Food-Grade Polyethylene Resins
- Extra Strength Corrugated Side Walls
- Patented Design for Easy Fill
- Visual Inventory of Fluid Levels
 Openings: (2) 2" Fill Ports and (1) 1" NTP Stainless Steel Dispense Fitting

Wall-Stacker Benefits

- Purchase Fluids in Bulk; Reduce Expenses and Waste
- Eliminate the Hassles Associated with Packaged Goods.
- Maximize Shop Space with Stackable Fluid Storage.
- Flexibility to Move Fluids with Portable Systems
- Configure a System with Secondary Containment Vessel

Wall-Stacker Tanks										
Part No.	WS32	WS71	WS115							
Tank Capacity	32 Gallons	71 Gallons	115 Gallons							
Tank Dimensions	38"W x 19"D									
Tank Height	18"H	33"H	48"H							
Tank Weight	33 Lbs.	47 Lbs.	61 Lbs.							



Wall-Stacker Gravity Feed Systems

	Includes: Tank(s), 24"H		32 (Gallon		7	1 Gal	115 Gallon			
	Stand, 3-Pan Drip Tray Assembly, Wall Straps and Gravity Feed Dispense Kit.			1					-1/		
	38"W x 30"D Assembled.		7	100			1/1				
	*Containment page 5.		174-7°				Jak Jak		THE PARTY NAMED IN		
	*Remote Fill Kit page 5.		1 1								
	Part No.	WS32-1	WS32-2	WS32-3	WS32-4	WS71-1	WS71-2	WS71-3	WS115-1	WS115-2	
	No. of Stacked Tanks	1	2	3	4	1	2	3	1	2	
	Gallon Capacity	32	64	96	128	71	142	213	115	230	
è	System Height	42"H	57"H	72"H	87"H	57"H	87"H	117"H	72"H	117"H	
	Wall Straps No.	VWS15	VWS30	VWS45	VWSA	VWS30	VWSA	VWSA	VWS45	VWSA	
	Wall Straps Height	17"H 32"H		47"H	Adjustable	32"H	Adjustak	ole	47"H	Adjustable	
	Gravity Feed Kit	GFKIT1	GFKIT2	GFKIT3	GFKIT4	GFKIT1	GFKIT2	GFKIT3	GFKIT1	GFKIT2	



Stackable Tank Dispense & Fill Kits

Dispense and Fill System Fluids Without the Use of a Pump

-	eed Kits with Brass Valves sealant Included)	GFKIT1	GFKIT2	GFKIT3	GFKIT4	GFKITADD1
A Photo	Spring Release Valve	1	2	3	4	1
4	1" Poly Stub Barb	-	1	2	3	1
C SAN	Elbow Mount	-	1	2	3	1
S S	90° Poly Elbow	-	1	2	3	1
(64.20)	Poly Tubing	-	4'	9'	15'	7'
	Hose Clamps	-	2	4	6	2
Gravity Feed	Kits with Stainless Steel Valves	CEKITS\$1	CEKITSS2	GFKITSS3	CEKITSSA	GFKITSSADD1
(S	ealant Included)	OT KIISST	OI KII 332	OI KII 333	OI KII334	CIRIISSADDI
- 本 世	Spring Release Valve	1	2	3	4	1
200 A	1" Poly Stub Barb	-	1	2	3	1
(C)	Elbow Mount	-	1	2	3	1
No.	90° Poly Elbow	-	1	2	3	1
(84.20)	Poly Tubing	-	4'	9'	15'	7'
	Hose Clamps	-	2	4	6	2

Remote Fill Kits





Remote Fill Kit for 1 Tank

Includes 8' Hose, Tank Adapter, Ball Valve, 1.5" Cam Fitting with Cover, Hose Clamps, and Breather.

NOT INCLUDED: Tank System

Secondary Containment Vessels

An Excellent Secondary Barrier, Available in Poly, Aluminum And Steel

	CV150		CV265		CV275	is s		CV210S	
Part No.	CV150	CV265	CV85\$	CV150S	CV275S	CV375\$	CV210S	CV270S	CV370S
Use With	T120, all WS	T130, T180, T240	T70	T120	T130, T180, T240	Т330	T180	T240	T330
Material / Features	Poly Vessel		Steel Ves	sel			Steel Vessel is Forklift Ready with 5" Legs		
Gallon Cap.	150	265	85	150	275	375	210	270	370
Width	40''W	48''W	38''W	36"W	46''W	46"W	46''W	46''W	46"W
Depth	52"D	66"D	47''D	48"D	56"D	56"D	46''D	46"D	46"D
Height	23"H	24"H	11"H	22"H	25"H	34"H	29"H	35"H	46"H
Weight (Lbs.)	40	60	107	132	174	254	150	185	231